

SAFETY DATA SHEET Lavender + Vanilla Fragrance Oil

1. PRODUCT INFORMATION AND COMPANY IDENTIFICATION

Product Name:	Lavender + Vanilla Fragrance Oil
Company:	Natural Bulk Supplies, 318 Half Day Rd, # 348, Buffalo Grove, IL 60089 Phone: 847-489-7180

Emergency Contact: Infotrac: 800-535-5053(North America) +1-352-323-3500 (International)

2. HAZARD IDENTIFICATION

Classification of the substance or Mixture

Class and category of danger:

Skin Corrosion / Irritation Category 3
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H316, Causes mild skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H411, Toxic to aquatic life with long lasting effects.

Label elements

Signal word: Warning

Hazard statements:

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

- H319, Causes serious eye irritation.
- H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P261, Avoid breathing vapour or dust.
- P264, Wash hands and other contacted skin thoroughly after handling.
- P272, Contaminated work clothing should not be allowed out of the workplace.



P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Other hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture Contains:

Name	CAS	%	GHS Classification
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran	1222-05-5	10-<20%	Aquatic Acute 1-Aquatic Chronic 1;H410
Ethyl vanillin	121-32-4	1-<5%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-
alpha-Hexylcinnamaldehyde	101-86-0	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402



alpha-Terpineol acetate	80-26-2	1-<5%	Aquatic Acute 2;H401
d-Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Butylated hydroxytoluene	128-37-0	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304-
4-tert-Butylcyclohexyl acetate	32210-23-4	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-
Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-
Benzyl salicylate	118-58-1	0.1-<1%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412
Piperonal	120-57-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401
Camphor	76-22-2	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2; H228-H302-H315-H318-H332-H371-H411
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-
alpha-Cedrene	469-61-4	0.1-<1%	Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-

4. FIRST AID MEASURES

Description of first aid measures

Inhalation :

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.



Eye exposure:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure:

IF ON SKIN: Wash with plenty of soap and water.

Ingestion:

Rinse mouth with water and obtain medical attention.

Most important symptoms and effects, both acute and delayed

Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures :

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Environmental Precautions :

Keep away from drains, surface and ground water, and soil.

Methods and Materials for containment and clean-up :

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage

immediately by use of sand or inert powder. Dispose of according to local regulations.



Reference to other sections:

Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for Safe Handling :

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Conditions for Safe storage, including any incompatibilities :

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s) :

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters :

Workplace exposure limits: Not Applicable

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



9. PHYSICAL AND CHEMICAL PROPERTIES

Basic physical and chemical properties

Appearance	Free flowing liquid without sediment
Odour	Characteristic
Odour threshold	Not determined
рН	Not determined
Melting point / freezing point	Not determined
Initial boiling point / range	Not determined
Flash point:	> 93 °C
Evaporation rate:	Not determined
Flammability (solid, gas)	Not determined
Upper/lower flammability or explosive limits	Product does not present an explosion hazard
Vapour pressure	Not determined
Vapour density	Not determined
Relative density	0.9410 - 0.9510
Solubility(ies)	Not determined
Partition coefficient: n-octanol/water	Not determined
Auto-ignition temperature	Not determined
Decomposition temperature	Not determined
Viscosity	Not determined
Explosive properties	Not expected
Oxidising properties	Not expected

Other information:

Refractive Index @ 20C: 1.4715 - 1.4815 Flash Point (Fahrenheit): > 200 °F



Calculated VOC: 0.00 Color Range: Colorless - 2 Very Pale Yellow

10. STABILITY AND REACTIVITY

Reactivity :

Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability :

Good stability under normal storage conditions.

Possibility of Hazardous Reactions :

Not expected under normal conditions of use.

Conditions to Avoid : Avoid extreme heat.

Incompatible Materials :

Avoid contact with strong acids, alkalis or oxidising agents.

Hazardous Decomposition Products : Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:

Based on available data the classification criteria are not met. Acute Toxicity Oral : >5000 Acute Toxicity Dermal : Not Applicable Acute Toxicity Inhalation : Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 3

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation:

Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.



Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Ethyl vanillin	121-32-4	3000	Not available	Not available	Not available
alpha- Hexylcinnamaldeh yde	101-86-0	3100	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

12. ECOLOGICAL INFORMATION

Toxicity:

Toxic to aquatic life with long lasting effects.

Persistence and degradability:

Not available

Bioaccumulative potential: Not available

Mobility in soil: Not available

Other adverse effects: Not available



13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALL Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahy dro-4,6,6,7,8,8- hexamethylcyclopen ta-gamma-2- benzopyran, alpha-Cedrene)	9	-	III
IMDG	UN3082	ENVIRONMENTALL Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahy dro-4,6,6,7,8,8- hexamethylcyclopen ta-gamma-2- benzopyran, alpha-Cedrene) MARINE POLLUTANT	9	-	111
ADR,RID,AD N	UN3082	ENVIRONMENTALL Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahy dro-4,6,6,7,8,8- hexamethylcyclopen ta-gamma-2-	9	-	111



		benzopyran, alpha-Cedrene)			
ICAO TI	UN3082	ENVIRONMENTALL Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahy dro-4,6,6,7,8,8- hexamethylcyclopen ta-gamma-2- benzopyran, alpha-Cedrene)	9	-	111

Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

Special precautions for user:

None additional

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

15. REGULATORY INFORMATION

Essential Oil Components:

Name	CAS	%
LAVENDER OIL 40 / 42	8000-28-0	1-<5%
CEDARWOOD OIL VIRGINIA	8000-27-9	0.1-<1%

Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	1-<5%
Vanillin	121-33-5	<0.1%

Note: The information contained within this document was prepared by technical personnel and is believed to be true and accurate to the best of our knowledge. However, no warranty, express or implied, is provided regarding merchantability, fitness for a particular purpose, performance, safety, suitability, stability, or other aspects of the product. This information is not comprehensive and does not cover all potential conditions of use, handling, storage, disposal, or other factors that may involve legal, environmental, safety, or performance considerations. Natural Bulk Supplies accepts no liability for the use of or reliance upon this information. Our technical personnel are available to address inquiries, but the customer bears ultimate responsibility for the safe handling and use of the product. No suggestions for use are made that would encourage the infringement of existing patents or the violation of any Federal, State, local, or foreign laws.



Components listed on California's SB312

Name	CAS	%
DIOCTYL ADIPATE (S) "DOA"	103-23-1	20-<50%
HEXYL CINNAMIC ALDEHYDE (R)	101-86-0	1-<5%
D-LIMONENE	5989-27-5	1-<5%
COUMARIN (C)	91-64-5	0.1-<1%
BENZYL SALICYLATE (R)	118-58-1	0.1-<1%
LINALOOL	78-70-6	0.1-<1%
CITRAL	5392-40-5	<0.1%

US Department Of Transport Bulk Packing Group:

Naturally-Occuring Materials on Prop65:

Name	CAS	%
Myrcene	123-35-3	

16. OTHER INFORMATION

Concentration % Limits:

SCI 3=22.00% EDI 2A=99.91% SS 1=26.32% EH A2=11.37% EH A3=1.13% EH C2=14.61% EH C3=1.46%

Total Fractional Values:

SCI 3=4.55 EDI 2A=1.00 SS 1=3.80 EH A2=8.79 EH A3=88.20 EH C2=6.84 EH C3=68.50

Key to revisions:

2.1 Classification of the substance or mixture Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values



Key to abbreviations:

Abbreviation	Full Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2

Note: The information contained within this document was prepared by technical personnel and is believed to be true and accurate to the best of our knowledge. However, no warranty, express or implied, is provided regarding merchantability, fitness for a particular purpose, performance, safety, suitability, stability, or other aspects of the product. This information is not comprehensive and does not cover all potential conditions of use, handling, storage, disposal, or other factors that may involve legal, environmental, safety, or performance considerations. Natural Bulk Supplies accepts no liability for the use of or reliance upon this information. Our technical personnel are available to address inquiries, but the customer bears ultimate responsibility for the safe handling and use of the product. No suggestions for use are made that would encourage the infringement of existing patents or the violation of any Federal, State, local, or foreign laws.



H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long-lasting effects.
H411	Toxic to aquatic life with long-lasting effects.
H412	Harmful to aquatic life with long-lasting effects.
H413	May cause long-lasting harmful effects to aquatic life.
P210	Keep away from heat, sparks, open flames, and hot surfaces No smoking.



P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating, and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.



P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

Note: The information contained within this document was prepared by technical personnel and is believed to be true and accurate to the best of our knowledge. However, no warranty, express or implied, is provided regarding merchantability, fitness for a particular purpose, performance, safety, suitability, stability, or other aspects of the product. This information is not comprehensive and does not cover all potential conditions of use, handling, storage, disposal, or other factors that may involve legal, environmental, safety, or performance considerations. Natural Bulk Supplies accepts no liability for the use of or reliance upon this information. Our technical personnel are available to address inquiries, but the customer bears ultimate responsibility for the safe handling and use of the product. No suggestions for use are made that would encourage the infringement of existing patents or the violation of any Federal, State, local, or foreign laws.



P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1B	Sensitization - Skin Category 1B

All statements, technical information and recommendations contained herein are based on tests and data which Natural Bulk Supplies believes to be currently reliable, but this accuracy or completeness thereof is not guaranteed and no warranty of any kind is made with respect thereto. This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this company or others covering any process, composition of matter or use. Since we shall have no control of the use of the product described here in, we assume no Liability for loss or damage incurred from the proper or improper use of such product.

Note: The information contained within this document was prepared by technical personnel and is believed to be true and accurate to the best of our knowledge. However, no warranty, express or implied, is provided regarding merchantability, fitness for a particular purpose, performance, safety, suitability, stability, or other aspects of the product. This information is not comprehensive and does not cover all potential conditions of use, handling, storage, disposal, or other factors that may involve legal, environmental, safety, or performance considerations. Natural Bulk Supplies accepts no liability for the use of or reliance upon this information. Our technical personnel are available to address inquiries, but the customer bears ultimate responsibility for the safe handling and use of the product. No suggestions for use are made that would encourage the infringement of existing patents or the violation of any Federal, State, local, or foreign laws.